

TECHNICAL SPECIFICATIONS



| ARENA SPECIFICATIONS | |
|---|--------------------|
| ARENA FLOOR, ICE SIZE (17,000 SQ. FT.) | 85' (W) X 200' (D) |
| UPSTAGE RETRACTED BLEACHERS | 85' (W) X 39' (D) |
| STAGE EQUIPMENT | |
| ICE DECK FLOORING COVERING | 85' (W) X 239' (D) |
| ADJUSTABLE STAGERIGHT 4' X 8' (FROM 48" TO 78" WITH FULL SKIRTING) | 160 |
| ADJUSTABLE STAGERIGHT 4' X 4' (FROM 48" TO 78" WITH FULL SKIRTING) | 8 |
| ADJUSTABLE STAIRS STAGERIGHT (FROM 48" TO 78") | 4 |
| SCAPINS 4' X 8' PANELS (WITH FULL SKIRTING) | 40 |
| SCAPINS 4' X 4' PANELS (WITH FULL SKIRTING) | 6 |
| LEGS FROM 6" TO 48" | 48 EACH SIZE |
| STAIRS 18" TO 4' | 1 EACH SIZE |
| BLACK ANTI-RIOT-FENCE 8' L (BIKE RACK) | 98 |
| BLACK ANTI-RIOT-FENCE 4' L (BIKE RACK) | 4 |
| GALVANISED ANTI-RIOT-FENCE 8' L (BIKE RACK) | 50 |
| BARRICADES (MOJO TYPE) | 49 |
| BARRICADES INTERIOR CORNERS | 2 |
| BARRICADES EXTERIOR CORNERS | 2 |
| CABLE MATS | 65 |

HOUSE LIGHTING

BEACON HUBBEL 5600K

130

BEACON HUBBEL 4000K (ALL DIMMABLE)

85

HOUSE MOVING LIGHTS

CLAYPAKY MYTHOS (PERMANENTLY FIXED IN THE GRID)

24

FOLLOW SPOTS

LYCIAN 1294 4K XENON
(ALL ARE WIRED FOR CLEAR COM INTERCOM)

12

CATERING

For any catering needs please contact your event manager who will provide you the contacts of our affiliated catering companies.

STAGE HANDS

We are working with IATSE 523 in the bowl.

HEAVY EQUIPMENT

FORKLIFT : 2X CLARK GEX30 ELECTRIC, SOLID PNEUMATIC TIRES

LIFTING CAPACITIES

5400 LBS / 2449 KG

SPREAD

40"

FORKS

60" & 84"

MAX LIFTING HEIGHT

15'

SCISSOR LIFT : 1X SKYJACK SJ 111

WORKING HEIGHT

19'

CAPACITY

2 PERSONS / 550 LBS

POWER**UPSTAGE LEFT**

200A 3 PHASE 600V DISCONNECT

1

400A 3 PHASE 120/208 COMPANY SWITCH/CAMLOCK

3

200A 3 PHASE 120/208 COMPANY SWITCH/CAMLOCK

4

UPSTAGE RIGHT

400A 3 PHASE 120/208 COMPANY SWITCH/CAMLOCK

3

200A 3 PHASE 120/208 COMPANY SWITCH/CAMLOCK

4

DOWSTAGE LEFT

400A 3 PHASE 120/208 COMPANY SWITCH/CAMLOCK

1

200A 3 PHASE 120/208 COMPANY SWITCH/CAMLOCK

3

GRID

400A 3 PHASE 120/208 COMPAGNY SWITCH/CAMLOCK

2

100A 3 PHASE 120/208 COMPAGNY SWITCH/CAMLOCK

4

EXTERIOR PARKING LOT (EAST ZONE)

200A 3 PHASE 120/208 COMPAGNY SWITCH/CAMLOCK

1

200A 3 PHASE 120/208 CIRCUIT DISTRIBUTION PANEL

1

HOUSE SOUND

MAIN SOUND SYSTEM

| | |
|---|----|
| LINE ARRAYS COMPOSED | 12 |
| JBL VERTEX VTX-V20 FOR HIGH AND MID FREQUENCIES | 8 |
| JBL VTX-S25 FOR LOW FREQUENCIES | 3 |
| AMPLIFIERS CROWN IT4 3500 HD | 32 |
| AMPLIFIERS CROWN IT4 3500 | 12 |

HOUSE SOUND

SOUNDBOARD

| | |
|---|---|
| SOUNDCRAFT VI 3000 | 1 |
| DIGITAL AUDIO PROCESSING THROUGH BSS SYSTEM | |
| AUDIO SIGNAL TRANSMISSION THROUGH OPTOCORE SYSTEM | |

RIGGING

| | |
|--------------------------------|------|
| HEIGHT FROM FLOOR TO LOW STEEL | 104' |
|--------------------------------|------|

LOADING DOCKS AND PARKING

| | |
|---|----|
| Arena floor level. Drive trough into arena floof level. | |
| LOADING DOCKS (INSIDE) | 6 |
| ELEPHANT DOOR, GROUND FLOOR | 1 |
| BUS PARKING IN TECHNICAL AREA | 22 |

SPECS - CONTENT



| DESCRIPTION | PLACE | HOUSE NAME | SPECS | FILES TO BE PROVIDED |
|------------------------------------|---------------|--------------------------------|--|---|
| RIBBON | BOWL | F6 | UPPER RING (F6) MP4 (or .png/.jpg) 1x (3360 pixels x 40 pixels) | UPPER RING (F6) 3360 pixels x 40 pixels MP4, Compression H.264 |
| | | F5 | MIDDLE RING (F5) MOV (or .png/.jpg) 1x (19648 pixels x 40 pixels) | MIDDLE RING (F5) 19648 pixels x 40 pixels Quicktime .MOV, Compression H.264 |
| | | F4 | LOWER RING MOV (or .png/.jpg) 1x (19776 pixels x 40 pixels) | LOWER RING (F4) 19776 pixels x 40 pixels Quicktime .MOV, Compression H.264 |
| RINGS | BOWL | TOP RING BTM RING CORNER | TOP RING MP4 (or .png/.jpg) 1x (3424 pixels x 96 pixels) BTM RING MP4 (or .png/.jpg) 1x (2528 pixels x 64 pixels) CORNER MP4 (or .png/.jpg) 1x (144 pixels x 1008 pixels) | TOP RING 3424 pixels x 96 pixels MP4, Compression H.264 BTM RING 2528 pixels x 64 pixels MP4, Compression H.264 CORNER 144 pixels x 1008 pixels MP4, Compression H.264 |
| JUMBOTRON (MAIN) 16X9 + SCOREBOARD | BOWL | TOP VIDEO | JUMBOTRON 16X9 VIDEO MP4 (or .png/.jpg) Compression H.264 1920 pixels x 1080 pixels | JUMBOTRON VIDEO MP4 (or .png/.jpg) Compression H.264 1920 pixels x 1080 pixels |
| | | SCOREBOARD | VIDEO MP4 (or .png/.jpg) Compression H.264 1296 pixels x 278 pixels | VIDEO MP4 (or .png/.jpg) Compression H.264 1296 pixels x 278 pixels |
| JUMBOTRON (MAIN) FULL | BOWL | JUMBO FULL | JUMBOTRON FULL VIDEO MP4 (or .png/.jpg) Compression H.264 1296 pixels x 1008 pixels | JUMBOTRON FULL VIDEO MP4 (or .png/.jpg) Compression H.264 1296 pixels x 1008 pixels |
| IPTV | TV EVERYWHERE | IPTV | VIDEO MP4 (or .png/.jpg) Compression H.264 1280 pixels x 720 pixels | VIDEO MP4 (or .png/.jpg) Compression H.264 1280 pixels x 720 pixels |
| ENTRANCE HALL | ENTRENCE HALL | BANDEAU HALL | VIDEO MP4 (or .png/.jpg) Compression H.264 1236 pixels x 80 pixels | VIDEO MP4 (or .png/.jpg) Compression H.264 1236 pixels x 80 pixels |
| OUTDOOR LED SCREEN | OUTDOOR | ÉCRAN EXTÉRIEUR | VIDEO MP4 (or .png/.jpg) Compression H.264 1920 pixels x 1080 pixels | VIDEO MP4 Compression H.264 1920 pixels x 1080 pixels |
| OUTDOOR LED SCREEN (BRIDGE) | OUTDOOR | ÉCRAN PASSERELLE | VIDEO MP4 (or .png/.jpg) Compression H.264 1320 pixels x 180 pixels | VIDEO MP4 (or .png/.jpg) Compression H.264 1320 pixels x 180 pixels |

